

FIG.2




FIG.3




FIG.4




FIG.5




FIG.6

ADDRES FOR MAIL VIRUS
aaaaaaaa@fss.co.jp
abcdefghi@fss.co.jp
viry@fss.co.jp

FIG.7

RECEIVED DATE & TIME	SENDER	SIZE	TITLE	REPORT
MMDDhhmmss	abc@fss.co.jp	1776	IMPORTANT NOTICE	"DONE"
MMDDhhmmss	def@fss.co.jp	1789	AFFAIRS NOTICE	"NOT YET"

FIG.8

SENDER SUPPRESSION	CONDITION 1	SIZE SUPPRESSION	CONDITION 2	TITLE SUPPRESSION	DETECTION REPORT
'yes'	'or'	'or'	'or'	'yes'	'yes'

FIG.9

REPORT LEVEL	MAIL VIRUS INFORMATION	USER FOR LOG EXTRACTION	HISTORY PERIOD FOR LOG EXTRACTION	COMPRESSED INFECTED MAIL ATTACHMENT
1	'yes'	'all'	'5day'	'yes'
2	'yes'	'all'	'5day'	'no'
3	'yes'	'mailsendself'	'3day'	'no'
4	'yes'			'no'

FIG.10

REPORT-TO ADDRESS	REPORT LEVEL	NOTE
' <u>sys@fss.co.jp</u> '	1	'system manager'
' <u>taro@tukuba.ne.jp</u> '	2	'system manager (private)'
' <u>Sys2@fss.co.jp</u> '	3	'system 2nd manager'
'mailsendself'	4	'SENDER'

FIG.11

HEADER	MEANING
from:	SENDER MAIL ADDRESS
to:	RECEIVER MAIL ADDRESS
cc:	RECEIVER MAIL ADDRESS FOR CARBON COPY
reply - to:	RECEIVER MAIL ADDRESS FOR REPLY
return-path:	RECEIVER MAIL ADDRESS FOR ERROR MAIL
.....

FIG.12




FIG. 13

101

